

Supplemental Label



Piper™ HERBICIDE

EPA Reg. No. 59639-193
(Except California and New York)

PIPER™ HERBICIDE FOR USE ON BAHIAGRASS AND BERMUDAGRASS IN NON-CROP AREAS

This supplemental label expires October 21, 2018 and must not be used or distributed after this date.

THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF APPLICATION. READ THE LABEL AFFIXED TO THE CONTAINER FOR *PIPER* HERBICIDE BEFORE APPLYING. USE OF *PIPER* HERBICIDE ACCORDING TO THIS LABELING IS SUBJECT TO THE USE PRECAUTIONS AND LIMITATIONS IMPOSED BY THE LABEL AFFIXED TO THE CONTAINER FOR *PIPER* HERBICIDE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Piper Herbicide may be used to promote the growth of (release of) bermudagrass and bahiagrass in non-crop sites where *Piper* herbicide is labeled for bare ground weed control and low maintenance vegetation and erosion control is desired. These sites include roadsides, utility rights-of-way, railroad crossings, airports and other non-crop sites. Application of *Piper* Herbicide may result in unacceptable injury to other grasses. Do not apply *Piper* Herbicide in residential and commercial landscapes, golf courses or sod farms.

APPLICATION TIMING

Apply *Piper* Herbicide during the fall, winter or spring when bahiagrass and bermudagrass are dormant or semi dormant (not actively growing). Optimal application timing is before germination of target weeds, but *Piper* Herbicide will also provide early postemergent control of small emerged weeds. Application of *Piper* Herbicide to actively growing bahiagrass and bermudagrass may injure foliage and temporarily suppress growth, but *Piper* Herbicide has limited systemic activity and bahiagrass and bermudagrass will typically outgrow injury.

PREEMERGENCE APPLICATION

Apply *Piper* Herbicide at 6 to 10 oz/A as a preemergence application. Moisture is necessary to activate *Piper* Herbicide on soil for residual weed control. Dry weather following application of *Piper* Herbicide may reduce effectiveness.

POSTEMERGENCE APPLICATION

Apply *Piper* Herbicide at 6 to 10 oz/A plus an adjuvant (0.25% v/v non-ionic surfactant or 1 qt/A crop oil concentrate). The addition of an adjuvant enhances *Piper* Herbicide activity on emerged weeds. Thorough spray coverage is necessary to maximize the postemergence activity of *Piper* Herbicide. Small emerged weeds are suppressed or controlled with *Piper* Herbicide; however, translocation of *Piper* Herbicide within a weed is limited, and optimal control requires thorough spray coverage and the addition of an adjuvant. The most effective postemergence weed control with *Piper* Herbicide occurs when applied in combination with a surfactant to weeds less than 2 inches in height. Use a tank mix partner in combination with *Piper* Herbicide for the postemergence control of weeds larger than 2 inches. Tank mixing *Piper* Herbicide with other herbicides may increase the potential for bahiagrass and bermudagrass injury or growth suppression.

IMPORTANT: Read and follow label directions for all tank mix products before using. Confirm that the tank mix partners are registered for use on bahiagrass and bermudagrass. Always follow the most restrictive labeling of any tank mix product.

PLEASE CONTACT VALENT U.S.A. CORPORATION AT 800-6-VALENT (682-5368) TO DETERMINE IF THIS USE IS REGISTERED IN YOUR STATE.

©2016 Valent U.S.A. Corporation

Piper is a registered trademark of Valent U.S.A. Corporation

Manufactured for:

Valent U.S.A. Corporation

P. O. Box 8025

Walnut Creek, CA 94596-8025

Made in U.S.A.

2016-PIP-0010

SAL20151229