CHLORSULFURON 75



A POWERFUL CHOICE FOR LONG-LASTING, YET SELECTIVE, CONTROL OF INVASIVE WEED SPECIES

Broaden the spectrum of control while safely promoting growth of desirable grasses with Alligare's Chlorsulfuron 75.

PERFORMANCE HIGHLIGHTS

- Highly selective and trusted on a vast number of desirable, perennial grasses
- Pre- and post-emergent control of numerous annual, biennial, and perennial broadleaf weeds
- Labeled for use on Bahia grass and other types of range and pasture forage
- · Low use rates in bare-ground settings

FOR BEST RESULTS

- 1. Apply Chlorsulfuron 75 in the early stages of development for the best control of annual weeds.
- 2. For the best control of perennial weeds, apply during the bud-to-bloom stages or in the fall.
- 3. For residual control, precipitation or irrigation is needed to move the herbicide into the soil profile.
- 4. Chlorsulfuron 75 applied in the fall decreases populations of tough-to-control weed species the following spring.

USE SITES

- pipeline and utility rights-of-way
- railroad rights-of-way and crossings
- Conservation Reserve Program lands
- fencerows and other non-crop areas
- rangeland and pastures
- roadsides and rights-of-way
- government and private lands
- industrial areas



CHLORSULFURON 75

ACTIVE INGREDIENTS: 75% CHLORSULFURON











TARGETED WEEDS

Hoary cress Blue mustard Canada thistle Goldenrod Marestail/Horseweed Perennial pepperweed **Puncturevine** Redroot pigweed Russian knapweed Wild carrot Wild mustard Yellow toadflax

MIXING INSTRUCTIONS

- 1. Add 1/4 to 1/3 of the required spray volume to the spray tank.
- 2. Begin agitation and then add the required amount of Alligare Chlorsulfuron 75.
- 3. Continue agitation and fill the spray tank with the remaining water. Do not add any other material until the Chlorsulfuron 75 is thoroughly mixed with the water.
- 4. As the tank is filling with the remaining water, add any tank mix partners followed by the necessary volume of spray adjuvants. Always add the spray adjuvants last.
- 5. Continuous agitation is required or settling will occur.

Note: Do not mix Alligare Chlorsulfuron 75 with spray additives that reduce the pH of the spray solution below 5.0. See label for additional information.

ALWAYS READ AND FOLLOW LABEL INSTRUCTIONS

SIGNAL WORD

CAUTION

APPLICATION DETAILS

MOA Group 2, ALS Inhibitor Use Rate 1/4 - 3 oz./acre (broadcast)

WORKER SAFETY

chemical-resistant gloves made of any waterproof material long-sleeved shirt and long pants shoes and socks

