

IMOX[®]



ALLIGARE.COM

THIS SYSTEMIC HERBICIDE PROVIDES EXCEPTIONAL WEED CONTROL WHILE MAINTAINING THE INTEGRITY OF ENVIRONMENTALLY SENSITIVE AREAS

Alligare's IMOX offers selective, yet highly effective, results on challenging shoreline, floating, emerged, and submersed species in aquatic settings, as well as control of many terrestrial weeds.

PERFORMANCE HIGHLIGHTS

- Provides outstanding weed control in a wide range of application sites
- Offers pre- and post-emergent control of many problematic weeds
- Controls several grass species at low rates
- IMOX can be used on listed sites that are cut for hay or grazed

FOR BEST RESULTS

1. To enhance foliar applications, always use an adjuvant. Methylated seed oil works best on emergent and floating weeds in aquatic applications and for terrestrial weeds.
2. Moisture is necessary to activate this product in soil for residual weed control in terrestrial settings.
3. When surface-matted conditions exist, inject IMOX herbicide below the water surface to improve product distribution and efficacy.

USE SITES

- | | |
|-----------------------|----------------------------------|
| • lakes | • irrigation and drainage canals |
| • marshes | • ponds and reservoirs |
| • swamps and wetlands | • ditch banks |
| • industrial sites | • fence rows |
| • rights-of-way | • wildlife openings |



Alligare[®]
A member of the ADAMA Group

IMOX[®]

ACTIVE INGREDIENT: IMAZAMOX 1 LB/GAL

ALLIGATOR WEED



BLADDERWORT



CATTAIL



CHINESE TALLOW



WATER HYACINTH



TARGETED WEEDS

Alligator weed

Ryegrass (annual)

Arrowhead

Bladderwort

Cattail

Chinese tallow

Curly-leaf pondweed

Frog-bit

Hoary cress

Hydrilla

Pigweed

Salvinia

Sago pondweed

Saltcedar

Water hyacinth

Water primrose

MIXING INSTRUCTIONS

1. Add ½ of the required spray volume to the spray tank and start agitation.
2. Add the required amount of IMOX herbicide.
3. Add any tank mix partners followed by surfactants.
4. Agitate during the final filling of the spray tank, and maintain sufficient agitation during application, to ensure uniformity of the spray mixture.

ALWAYS READ AND FOLLOW LABEL INSTRUCTIONS

SIGNAL WORD

CAUTION

APPLICATION DETAILS

MOA Group 2, ALS Inhibitor

Broadcast Use Rates 16 - 128 oz./acre

See label for subsurface use rates.

WORKER SAFETY

long-sleeved shirt

long pants

chemical-resistant gloves

shoes plus socks



Alligare[®]

A member of the ADAMA Group