

PRESCOTT



ALLIGARE.COM

THE PREMIER CHOICE FOR BROADLEAF WEED AND BRUSH CONTROL IN PERMANENT GRASS PASTURES

Alligare's Prescott Herbicide is a broad-spectrum, post-emergent solution used for individual plant or spot treatment of noxious and invasive weeds. This herbicide offers superior control of thistles, vines, and woody plants.

PERFORMANCE HIGHLIGHTS

- Non-restricted use herbicide with selective broadleaf control for the release of desirable grass species
- Flexible tank mix options, including mixing with liquid fertilizer, for location-specific treatment
- Non-volatile formulation for use around sensitive species including bahia grass and fescue

FOR BEST RESULTS

1. To prevent degradation, spray tank solutions and additives should be maintained at a pH level between five and seven.
2. Apply when plants are actively growing with soil temperatures above 55 degrees fahrenheit and air temperatures between 40 and 90 degrees fahrenheit.

USE SITES

- permanent grass pastures
- non-irrigation ditch banks
- areas surrounding farm buildings
- non-crop areas
- rangeland
- fence rows
- roadsides
- CRP acres



Alligare[®]

A member of the ADAMA Group

PRESCOTT

ACTIVE INGREDIENTS: TRICLOPYR 2.25 LB/GAL, CLOPYRALID 0.75 LB/GAL



TARGETED WEEDS

Absinth wormwood
Annual sowthistle
Bull thistle
Blackberry
Canada thistle
Cocklebur

Diffuse knapweed
Goldenrod
Hawkweed
Horseweed
Kudzu
Locusts

Milk thistle
Musk thistle
Nightshade
Perennial sowthistle
Plumeless thistle
Poison ivy

Russian knapweed
Spotted knapweed
Tansy ragwort
Western ironweed
Western ragweed
Yellow starthistle

MIXING INSTRUCTIONS

1. Add 3/4 of the required spray volume to the spray tank and start agitation.
2. Add the required amount of Alligare Prescott Herbicide.
3. Add any surfactants, crop oils, or other adjuvants according to manufacturer's label.
4. Add any spray thickening agent, if needed to control drift, according to the manufacturer's label.
5. Agitate during final filling of the spray tank and maintain sufficient agitation during application to ensure uniformity of the spray mixture.

Note: Allow time for thorough mixing of each spray ingredient before adding the next. If allowed to stand after mixing, agitate spray mixture before use.

ALWAYS READ AND FOLLOW LABEL INSTRUCTIONS

SIGNAL WORD

DANGER

APPLICATION DETAILS

MOA Group 4
Use Rate: 16 - 32 ounces

WORKER SAFETY

long-sleeved shirt
long pants
shoes and socks
chemical resistant gloves
protective eyewear



Alligare[®]

A member of the ADAMA Group