



WHETSTONE™



ALLIGARE.COM

A RELIABLE PARTNER FOR SUPERIOR, YET SELECTIVE, CONTROL OF NUMEROUS BROADLEAF WEEDS, VINES, AND WOODY PLANTS

As a flexible, pre- and post-emergent product, Alligare's Whetstone is a tank-mix friendly formula that provides residual control of invasive and noxious vegetation in a variety of settings.

PERFORMANCE HIGHLIGHTS

- Broad spectrum control of 185 annual, biennial, and perennial weeds and brush
- Provides extended pre- and post-emergent control of susceptible species
- Approved for treating vegetation in areas grazed by livestock, with no restrictions
- Increases weed spectrum of broadleaf species when included in bare-ground applications
- Registered under the EPA's Reduced Risk Pesticide Initiative

FOR BEST RESULTS

1. Treatment should occur when weeds and woody plants are actively growing.
2. Use a higher rate, within label range, when growing conditions are less than favorable, weed foliage is tall and dense, or when long-term residual control is desired.
3. To improve efficacy, an adjuvant should be added to all spray mixtures.

USE SITES

- rangeland/permanent grass pastures
- railroad and utility rights-of-way
- natural areas and wildlife habitats
- roadsides and other unimproved turf grasses
- fencerows and storage areas
- non-irrigation ditch banks
- industrial and utility plant sites
- Conservation Reserve Program (CRP) lands




Alligare®

A member of the ADAMA Group

WHETSTONE™

ACTIVE INGREDIENTS: AMINOPYRALID 2 LB/GAL



TARGETED WEEDS

Black locust
Carolina horsenettle
Curly dock
Horseweed
Silverleaf nightshade

Knapweed
Kudzu
Lespedeza (annual)
Mimosa
Buffalo bur

Puncturevine
Ragweed
Spanish needle
Teasel
Cocklebur

Thistles
Tree of heaven
Tropical soda apple
Wisteria
Iron weed

BROADCAST MIXING INSTRUCTIONS

1. Add ½ of the required spray volume to the spray tank and begin agitation.
2. Add the required amount of Whetstone.
3. As needed, add additional tank-mix herbicide partners.
4. Add surfactants and any additional adjuvants.
5. Agitate during the final filling of the spray tank and maintain sufficient agitation during application to ensure uniformity of the spray mixture.

ALWAYS READ AND FOLLOW LABEL INSTRUCTIONS

SIGNAL WORD

CAUTION

APPLICATION DETAILS

MOA Group 4, Synthetic Auxin
Use Rate 3 - 7 ounces/acre

WORKER SAFETY

long-sleeved shirt
long pants
shoes plus socks



Alligare®

A member of the ADAMA Group

051223