

# FLURIDONE



ALLIGARE.COM

## ***CLEAR YOUR WATERWAYS OF TROUBLESOME, INVASIVE WEED SPECIES***

With Alligare's Fluridone, recreational activities continue while floating, emergent, and submersed weeds disappear.

### **PERFORMANCE HIGHLIGHTS**

- Provides selective, systemic control of many of the most troublesome aquatic weeds
- Excellent control with minimal environmental impact
- Can be applied via surface and subsurface applications
- Bleaching injury symptoms occur in 7 to 10 days
- If application rates are 150 ppb or less, treated water can be used immediately for swimming, drinking, and fishing

### **FOR BEST RESULTS**

1. Long-term control occurs when applied to static bodies of water with minimum water discharge or dilution.
2. Optimal results are achieved when Fluridone is applied as a pre-emergent before weeds begin rapid spring growth.
3. Treatment of mature target plants may require an application rate at the higher end of the specified rate range.
4. Long-term exposure, between 30 and 90 days, will provide the best control of target weeds.

### **USE SITES**

- freshwater ponds, lakes
- drainage and irrigation canals
- reservoirs, potable water
- dry or dewatered canals



**Alligare**<sup>®</sup>  
A member of the ADAMA Group

# FLURIDONE

ACTIVE INGREDIENT: FLURIDONE 4 LB/GAL



## TARGETED WEEDS

Bladderwort

Duckweed

Common coontail

Waterlily

Para grass

Naiad

Hydrilla

Eurasian watermilfoil

Southern naiad

Curly-leaf pondweed

Cabomba

Spatterdock

## MIXING INSTRUCTIONS

Determine the amount of area or acres to be treated. Water depths in the treatment sites should also be known so the correct application rate is selected.

1. Be sure to shake the Fluridone container well before adding the herbicide to the spray tank.
2. Add  $\frac{1}{2}$  -  $\frac{3}{4}$  of the required spray volume to the spray tank and start agitation.
3. Add the required amount of Fluridone.
4. Add any additional herbicides and surfactants.
5. Agitate during the final filling of the spray tank, and maintain sufficient agitation during application, to ensure uniformity of the spray mixture.

**ALWAYS READ AND FOLLOW LABEL INSTRUCTIONS**

## SIGNAL WORD

CAUTION

## APPLICATION DETAILS

MOA Group 12, PDS Inhibitor  
See label for use rate charts.

## WORKER SAFETY

The use of specific personal protective equipment is not required when handling or applying Fluridone. Best management practices should always be used when applying herbicides. If tank mixing Fluridone with another product, the PPE requirements stated on the tank-mix partner's label should, at a minimum, be followed.



**Alligare**<sup>®</sup>

A member of the ADAMA Group

062623