

SFM 75



ALLIGARE.COM

WITH LOW USE RATES AND BROAD-SPECTRUM CONTROL THIS SELECTIVE HERBICIDE PROVIDES PREMIUM, RESIDUAL PERFORMANCE ON FORESTRY AND TRANSPORTATION & ENERGY SITES

Alligare's SFM 75 offers long-lasting control of challenging grasses and broadleaf weeds in rights-of-way, industrial areas, forestry locations, and additional terrestrial sites.

PERFORMANCE HIGHLIGHTS

- Pre- and post-emergent control of annual and perennial grasses and broadleaf weeds
- Offers selectivity in forestry settings and with some unimproved turf species
- Can be applied for site preparation and release of both conifers and hardwoods
- Excellent choice to expand weed spectrum in bare-ground applications
- May be applied by ground equipment or by helicopter when practical

FOR BEST RESULTS

1. For post-emergent results, apply to young, rapidly growing weeds.
2. Precipitation is needed, following the application, for optimal pre-emergent control.
3. For the release of unimproved, desirable grasses, apply to turf after it has broken dormancy and is well established.
4. To improve the control of weeds, add surfactant by volume at 0.25 percent.

USE SITES

- | | |
|-------------------------------|---------------------------------------|
| • forestry sites | • railroad and utility rights-of-way |
| • agricultural non-crop areas | • pipelines and pumping installations |
| • tank farms | • fencerows and storage areas |
| • lumber yards | • industrial and utility plant sites |



Alligare[®]
A member of the ADAMA Group

SFM 75

ACTIVE INGREDIENT: SULFOMETURON METHYL 75%



TARGETED WEEDS

Bluegrass (annual)
Ryegrass (annual)
Crabgrass
Kentucky bluegrass

Dogfennel
Horseweed
Hoary cress
Foxtail barley

Mustard spp.
Pepperweed
Pigweed
Smooth brome

Ragweed
Wild blackberry
Wild carrot
Redstem filaree

BROADCAST MIXING INSTRUCTIONS

1. Add ½ of the required spray volume to the spray tank and start agitation.
2. Add the required amount of SFM 75.
3. Add any additional tank-mix herbicides and surfactants, as needed.
4. Agitate during the final filling of the spray tank, and maintain sufficient agitation during application, to ensure uniformity of the spray mixture.

Note: Excessive injury may result if a surfactant is used with Alligare SFM 75 when applied to actively growing turf.

ALWAYS READ AND FOLLOW LABEL INSTRUCTIONS

SIGNAL WORD

CAUTION

APPLICATION DETAILS

MOA Group 2, ALS Inhibitor
Use Rate ½ - 6 ounces/acre

Do not apply SFM 75 in close proximity to areas where sensitive crops are grown.

WORKER SAFETY

long-sleeved shirt and long pants
shoes plus socks



Alligare[®]

A member of the ADAMA Group

072723