

PANORAMIC[®] 2SL



THIS VERSATILE HERBICIDE PROMOTES THE RELEASE AND GROWTH OF NATIVE GRASSES IN PASTURES AND RANGELANDS, ALONG ROADSIDES, AND WITHIN UTILITY RIGHTS-OF-WAY

Alligare's Panoramic 2SL offers long-term, pre- and post-emergent control of annual grasses and broadleaf weed species.

PERFORMANCE HIGHLIGHTS

- Provides foliar and seedhead suppression, in Bahiagrass and many cool-season grasses, along roadsides
- Helps reduce the impact of wildfires by suppressing weeds that increase flame height and fire spread
- Effective foliar and residual activity on a variety of broadleaf weeds and annual grasses, including Cheatgrass and Medusahead
- Excellent choice for pollinator plot establishment and maintenance

FOR BEST RESULTS

1. For cheatgrass control apply as a pre-emergent or early post-emergent in the fall.
2. For perennial weed control apply when weeds are actively growing and not drought stressed.
3. Use a high-quality agriculture surfactant such as a methylated seed oil or nonionic surfactant.
4. Consult product label for selectivity and variable use rates.

USE SITES


- | | | |
|--------------|-----------------|---------------------------|
| • railroads | • prairie sites | • paved surfaces |
| • CRP fields | • turf areas | • pastures and rangelands |
| • airports | • rights-of-way | • utility plant sites |



Alligare[®]
A member of the ADAMA Group

PANORAMIC[®] 2SL

ACTIVE INGREDIENT: IMAZAPIC 2 LB/GAL



TARGETED WEEDS

Crabgrass

Texas panicum

Hoary cress/Whitetop

Wild oats

Nutsedge

Cheatgrass

Jewgrass (annual)

Leafy spurge

Little barley

Bahiagrass

Giant foxtail

Barnyardgrass

Ryegrass (annual)

Medusahead

Dallisgrass

Yellow foxtail

Sandbur

Tall fescue

Johnsongrass

Smutgrass

MIXING INSTRUCTIONS

1. Add ½ of the required spray volume to the spray tank and start agitation.
2. Add the required amount of Alligare Panoramic herbicide.
3. If tank mixing this product with other labeled herbicides, add water-soluble formulations first, followed by dry formulations, flowables, emulsifiable concentrates, and then solutions.
4. Add any additional surfactants.
5. Agitate during the final filling of the spray tank, and maintain sufficient agitation during the application, to ensure uniformity of the spray mixture.

Note: Do not apply Panoramic 2SL if injury to desirable grasses cannot be tolerated.

ALWAYS READ AND FOLLOW LABEL INSTRUCTIONS

SIGNAL WORD

CAUTION

APPLICATION DETAILS

Group 2, ALS Inhibitor

Use Rate 2 - 12 oz./acre

See label for specific uses and rates.

WORKER SAFETY

long-sleeved shirt and long pants

chemical-resistant gloves made of any waterproof material

shoes plus socks



Alligare[®]

A member of the ADAMA Group