



FLUMIGARD® SC Herbicide

FIFRA 2(ee) Recommendation

EPA Reg. No. 81927-78

FOR DISTRIBUTION AND USE IN CT, DE, DC, MA, MD, NH, NJ, PA, RI, VA & VT

THIS RECOMMENDATION, WHICH CONTAINS ADDITIONAL DIRECTIONS FOR USE, IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE US EPA.

This recommendation is valid until December 31, 2028, or until withdrawn, canceled, or suspended.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

For Control of Water Chestnut (*Trapa bispinosa*, *Trapa natans*)

Directions For Use:

Emergent Weed Control

Alligare FLUMIGARD SC Herbicide may be applied for the control of Water Chestnut (*Trapa bispinosa*, *Trapa natans*).

SURFACE APPLICATION

Apply this product as a broadcast spray at 6 – 12 oz of formulated product (0.19 to 0.38 lb. ai) per acre plus an adjuvant approved for use in aquatics.

SUBSURFACE APPLICATION

Apply this product at a rate that will produce an initial concentration of 200 to 400 ppb (of active ingredient flumioxazin) in the water column.

PRECAUTIONS

- Read and follow all applicable use directions, precautions, and limitations on the product label attached to the Alligare FLUMIGARD® SC Herbicide container.

Alligare, LLC
1565 5th Avenue
Opelika, AL 36801

REV 121924