Alligare IMOX™ Herbicide

FIFRA 2(ee) Recommendation

EPA Reg. No. 81927-66

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF TEXAS

THIS RECOMMENDATION, WHICH CONTAINS ADDITIONAL DIRECTIONS FOR USE, IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE US EPA.

This recommendation for Alligare Imox™ Herbicide is valid until December 31, 2029, or until withdrawn, canceled or suspended.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

FOR CONTROL OF ARROWLEAF ELEPHANT EAR (*Xanthosoma sagittifolium*)

Directions For Use:

Emergent Weed Control

Alligare IMOX™ Herbicide may be applied for the control of Arrowleaf Elephant Ear (*Xanthosoma sagittifolium*). Alligare IMOX Herbicide is to be applied as a post emergent application.

Terrestrial Use Directions

Alligare IMOX™ Herbicide can be applied as a foliar spot spray for the control of Arrowleaf Elephant Ear (*Xanthosoma sagittifolium*) with the use of ground equipment in sufficient water to obtain uniform distribution and spray to targeted foliage.

Foliar Spot Application

Apply as a solution containing up to 5% v/v Alligare IMOX™ Herbicide spray. Add an approved methylated seed oil at 1% v/v. Due to potential recovery from the large corms (underground bulblike structures) retreatment may be necessary. Treatment may be very slow to work, showing limited symptoms for over a month.

RESTRICTIONS AND PRECAUTIONS

- DO NOT apply more than 1 gallon of Alligare IMOX™ Herbicide per acre per year.
- DO NOT exceed 2 applications of Alligare IMOX™ Herbicide per year.
- Minimum Retreatment Interval: 14 days

Alligare, LLC
PO Box 97
Deer Park, TX 77536

REV 110326